



*Crochet pattern*

***Pug dog***

*By Natalia Zagrebina (nata33)*

*Skill level: Experienced*

## Materials and tools:



- Beige color yarn – I used less than 100 g of “Nubuk” by Kartopu(100g/550m, 22% acrylic, 78% polyamide).
- Small amount of grey or black color yarn for the snout, eyelids and ears – I used 10 g of “Nubuk” by Kartopu(100g/550m, 22% acrylic, 78% polyamide).
- Ready made nose – I used 12 mm x 10 mm.
- Two black half beads or the ready-made eyes – I used 12 mm in diameter.
- Fabric tape (optional) and wire for the wire frame – I used approximately 70 cm of PVC covered copper wire 1.5 mm in diameter
- Transparent glue, stuffing, tapestry needle, scissors
- Matching crochet hook – I used 1.25 mm.-

*The size of the dog is 14 cm x 16 cm*

## Abbreviations

ch – chain

st - stitch

sc – single crochet

inc – increase (2 sc in one st)

dec – decrease (2 sc together)

sc3tog – single crochet 3 sts together

sl st – slip stitch

hdc - half double crochet

hdc inc – 2 hdc in one st

hdc dec – 2 hdc together


dc – double crochet

( ) x N – repeat instructions in brackets N times

Rnd – round

(N) – the number of sts at the end of the row/round

## Materials and tools:



### GAUGE section

Crochet a swatch to make sure you chose the right yarn.

Rnd 1. 6 sc

Rnd 2. 6 inc = 12 sts

Rnd 3. (1 sc, 1 inc) x 6 = 18 sts

Rnd 4. (2 sc, 1 inc) x 6 = 24 sts

Rnd 5. (3 sc, 1 inc) x 6 = 30 sts


Rnd 6. (4 sc, 1 inc) x 6 = 36 sts

Rnd 7. (5 sc, 1inc) x 6 = 42 sts

Rnd 8. (6 sc, 1 inc) x 6 = 48 sts



Compare your swatch to the one in the picture. They should be of the same size. If not, take a bigger or smaller crochet hook depending on your result and crochet another swatch. If it doesn't help, choose another yarn and make another swatch.



The toy is worked in continuous spiral under the both loops of the stitch unless otherwise stated. Sometimes you will have to work into the front loop or the back loop only. I recommend that you use a round marker to know where each round begins.

*Crochet pattern by Natalia Zagrebina. You may not sell, share, reproduce or distribute the pattern mechanically, electronically, or by any other means. You may not place the pattern on websites or in print media. Any item for sale based on this pattern must include the name of the designer.*

## Snout



### with black or grey color yarn

Ch 8 and work starting from 2<sup>nd</sup> st from the hook around the foundation chain:

Rnd 1. 6 sc, 3 sc in last st, 5 sc, 1 inc (16)

Rnd 2. 1 inc, 5 sc, 4 inc, 3 sc, 3 inc (24)

Rnd 3. 4 sc, 2 inc, 4 sc, (1 sc, 1 inc) x 3, 2 sc, (1 inc, 1 sc) x 3 (32)

Rnd 4. 5 sc, 2 inc, 5 sc, (2 sc, 1 inc) x 3, 2 sc, (1 inc, 2 sc) x 3 (40)

Rnd 5. 7 sc, 2 inc, 5 sc, (3 sc, 1 inc) x 3, 2 sc, (1 inc, 3 sc) x 3 (48)

Rnd 6. 48 sc

Rnd 7. 3 sc, 1 sc into the next st together with the back loop of 14<sup>th</sup> st from the hook to the right of the hook, 9 sc, 1 sc into the next st together with the back loop of 14<sup>th</sup> st from the hook to the left of the hook, 7 sc, 1 dec, 9 sc, 1 dec, 9 sc, 1 dec, 3 sc (45)

Fasten off.



The colors in the pictures may differ from the colors stated in the pattern.

## Lip

### with black or grey color yarn

Rnd 1. 6 sc in magic ring

Rnd 2. 6 inc (12)

Rnd 3. (3 sc, 1 inc) x 3 (15)

Rnd 4. 1 sc, 9 inc, 5 sc (24)

Rnd 5. 1 sc, 1 inc, 7 sc, 1 inc, 8 sc, 1 inc, 5 sc (27)

Rnd 6. 27 sc

Rnd 7. 26 sc

Leave the remaining st unworked. Do not fasten off or cut off.





### *Join the snout and the lip*

(place the lip with the increases upwards - they should look inside the snout)

Mark the center of the snout (black point in the picture) and count 10 sts to the right - this is the point of joining the snout and the lip. Place the pieces with the openings away from you and start joining them together.

Rnd 1. 21 sc hooking through the sts of the lip and the bottom of the snout, 6 sc along the lip - place the marker.



This is how the snout and the lip should look like after Rnd 1.



### *Crochet the head: (Change to main color yarn and work along the upper part of the snout first and then along the lower part of the lip.)*

Rnd 2. 2 sc, [(1 inc, 1 sc) x 4 into the front loops only], [(1 hdc, 1 hdc inc) x 2 into the front loops only], [(1 sc, 1 inc) x 4 into the front loops only], 9 sc into both loops of the st (40) - **move the round marker**

Rnd 3. 14 sc, 6 hdc, 20 sc (40)

Rnd 4. 14 sc, 6 hdc, 21 sc (40) - **move the round marker**

Rnd 5. 14 sc, 6 hdc, 20 sc (40)

Rnd 6. 2 sc, work hooking through the sts of the current round together with the unworked back loops of Rnd 2: [(1 dec, 1 sc) x 4, (1 hdc, 1 hdc dec) x 2, (1 sc, 1 dec) x 4]; 8 sc along the sts of the current round (30)


Rnd 7. 2 sc, (1 sc, 1 inc) x 11, 6 sc (41)

Rnd 8. (2 sc, 1 inc) x 11, 7 sc - **move the round marker** (52)

Rnd 9. (3 sc, 1 inc) x 11, 6 sc- **move the round marker** (63)

Rnd 10. 3 sc, 1 dec, 1 sc, 1 dec, 18 sc, 1 sc into the next st together with the back loop of the 4<sup>th</sup> st to the left of the hook, 3 sc along the skipped sts, 1 sc into the unworked front loop, **1 sc**, 1 sc together with the back loop of the 4<sup>th</sup> st to the left of the hook, 3 sc along the skipped sts, 1 sc into the unworked front loop, 17 sc, 1 dec, 1 sc, 1 dec, 4 sc (59)

**Note:** 1 sc marked with red is the center of the piece. Adjust if needed.



Rnd 11. 59 sc

Rnd 12. 23 sc, 1 sc into the next st together with the back loop of the 3<sup>rd</sup> st to the left of the hook, 2 sc along the skipped sts, 1 sc into the unworked front loop, (1 sc, 1 inc) x 2, 1sc, 1 sc into the next st together with the back loop of the 3<sup>rd</sup> st to the left of the hook, 2 sc along the skipped sts, 1 sc into the unworked front loop, 23 sc (61)

Rnd 13. 5 sc, 19 sc into the front loops only, 13 sc, 19 sc into the front loops only, 5 sc (61)

Rnd 14. 27 sc, 1 dec, 3 sc, 1 dec, 27 sc (59)

Rnd 15. 59 sc

Rnd 16. 5 sc, 19 sc through the sts of the current round together with the unworked back loops of Rnd 13, 5 sc, 1 dec, 5 sc, 19 sc through the sts of the current round together with the unworked back loops of Rnd 13, 4 sc (58)



*The picture shows how to make the fold*

*The finished head*



Rnd 17. 58 sc  
 Rnd 18. (1 sc, 1 inc) x 2, 9 sc, 1 dec, 30 sc, 1 dec, 8 sc, 1 inc, 1 sc, 1 inc (60)  
 Rnd 19. (2 sc, 1 inc) x 2, 50 sc, 1 inc, 2 sc, 1 inc (64)  
 Rnd 20. (3 sc, 1 inc) x 2, 51 sc, 1 inc, 3 sc, 1 inc (68)  
 Rnd 21. (4 sc, 1 inc) x 2, 1 sc, 14 sc into the front loops only, 21 sc, 14 sc into the front loops only, 2 sc, 1 inc, 4 sc, 1 inc (72)  
 Rnd 22. 1 inc, (5 sc, 1 inc) x 2, (9 sc, 1 dec) x 2, 7 sc, 1 dec, 9 sc, 1 dec, 11 sc, 1 inc, 5 sc (72)  
 Rnd 23. 1 sc, 1 inc, (6 sc, 1 inc) x 2, 7 sc, 1 dec, (13 sc, 1 dec) x 2, 11 sc, 1 inc, 5 sc (73)  
 Rnd 24. 73 sc  
 Rnd 25. 33 sc, 1 dec, 10 sc, 1 dec, 26 sc (71)  
 Rnd 26. 2 sc, 1 dec, (6 sc, 1 dec) x 2, 19 sc, 1 dec, 24 sc, 1 dec, 4 sc (66)  
 Rnd 27. 1 sc, 1 dec, (5 sc, 1 dec) x 2, 1 sc, 12 sc through the sts of the current round together with the unworked back loops of Rnd 21, 14 sc, 12 sc through the sts of the current round together with the unworked back loops of Rnd 21, 4 sc, 1 dec, 4 sc (62)  
 Rnd 28. 1 dec, (4 sc, 1 dec) x 2, 13 sc, 1 dec, 8 sc, 1 dec, 8 sc, 1 dec, 7 sc, 1 dec, 4 sc (55)  
 Rnd 29. (3 sc, 1 dec) x 2, 10 sc, 1 dec, 17 sc, 1 dec, 7 sc, 1 dec, 3 sc, 1 dec (49)  
 Rnd 30. (2 sc, 1 dec) x 2, 35 sc, 1 dec, 2 sc, 1 dec (45)  
 Rnd 31. (1 sc, 1 dec) x 3, 3 sc, 25 sc into the front loops only, 3 sc, 1 dec, 1 sc, 1 dec (40)  
 Rnd 32. (1 sc, 1 inc) x 3, 31 sc, 1 inc, 1 sc, 1 inc (45)  
 Rnd 33. (2 sc, 1 inc) x 3, 32 sc, 1 inc, 2 sc, 1 inc (50)  
 Rnd 34. (3 sc, 1 inc) x 3, 33 sc, 1 inc, 3 sc, 1 inc (55)  
 Rnd 35. (4 sc, 1 inc) x 3, 4 sc, 25 sc through the sts of the current round together with the unworked back loops of Rnd 31, 5 sc, 1 inc, 4 sc, 1 inc (60)  
 Rnd 36. (5 sc, 1 inc) x 3, 35 sc, 1 inc, 5 sc, 1 inc (65)  
 Rnd 37. (6 sc, 1 inc) x 2, 20 sc, 1 dec, 5 sc, 1 dec, 21 sc, 1 inc (66)  
 Rnd 38. (7 sc, 1 inc) x 2, 49 sc, 1 inc (69)  
 Rnd 39. (8 sc, 1 inc) x 2, 5 sc, 1 inc, 8 sc, 1 dec, 6 sc, 1 dec, 7 sc, 1 dec, 15 sc, 1 inc, 2 sc (70)  
 Rnd 40. (9 sc, 1 inc) x 2, 6 sc, 36 sc into the front loops only, 7 sc, 1 inc (73)  
 Rnds 41-43. 73 sc  
 Rnd 44. 28 sc, 36 sc through the sts of the current round together with the unworked back loops of Rnd 40. 9 sc (73)  
 Rnd 45. 73 sc  
 Rnd 46. 1 sc, 1 inc, (9 sc, 1 inc) x 2, (9 sc, 1 dec) x 3, 18 sc (73)  
 Rnds 47-48. 73 sc  
 Rnd 49. 2 sc, 1 inc, 10 sc, 1 inc, 9 sc, 1 inc, 16 sc, 1 dec, (4 sc, 1 dec) x 2, 19 sc (73)  
 Rnd 50. 3 sc, 1 inc, (9 sc, 1 inc) x 2, 18 sc, 1 dec, 3 sc, 1 dec, 4 sc, 1 dec, 18 sc (73)  
 Rnds 51-53. 73 sc  
 Rnd 54. 5 sc, 1 dec, (7 sc, 1 dec) x 2, 10 sc, 30 sc into the front loops only, 8 sc (70)  
 Rnds 55-56. 70 sc  
 Rnd 57. 32 sc, 30 sc through the sts of the current round together with the unworked back loops of Rnd 54, 8 sc (70)  
 Rnd 58. 70 sc



Rnd 59. 4 sc, 1 dec, 8 sc, 1 dec, 7 sc, 1 dec, 17 sc, 1 inc, 7 sc, 1 inc, 19 sc (69)

Rnd 60. 69 sc

Rnd 61. 3 sc, 1 dec, (7 sc, 1 dec) x 2, 18 sc, 1 inc, 6 sc, 1 inc, 20 sc (68)

Rnds 62-63. 68 sc

Rnd 64. 3 sc, 1 dec, 7 sc, 1 dec, 6 sc, 1 dec, 46 sc (65)

Rnds 65-67. 65 sc

Rnd 68. 2 sc, 1 dec, (6 sc, 1 dec) x 2, 45 sc (62)

Rnds 69-74. 62 sc

Rnd 75. 7 sc, 1 dec, 6 sc, 1 dec, 45 sc (60)

Rnds 76-84. 60 sc

Cut a piece of wire (see picture). Make a loop at one end of the wire, wrap it around with fabric tape if needed and insert it into the lip. **Slightly** stuff the lip around wire if needed, The wire will go through the body to the tip of the tail through the tail's opening. Stuff the snout. Stuff the center of the snout firmer. Stuff the head tightly but keep in mind that you will have to needle sculpt it later. Sew the fold under the snout throughout with invisible stitches so no stuffing gets into it.





Rnd 85. (8 sc, 1 dec) x 6 (54)  
 Rnd 86. (7 sc, 1 dec) x 4, 1 sc, ch 6, skip 6, 1 dec, 7 sc, 1 dec (48) - you have created the opening for the tail  
 Rnd 87. (6 sc, 1 dec) x 4, 6 sc along the chain of sts, 1 dec, 6 sc, 1 dec (42)  
 Rnd 88. (5 sc, 1 dec) x 6 (36)  
 Rnd 89. (4 sc, 1 dec) x 6 (30)  
 Rnd 90. (3 sc, 1 dec) x 6 (24)  
 Rnd 92. (2 sc, 1 dec) x 6 (18)  
 Rnd 93. (1 sc, 1 dec) x 6 (12)  
 Rnd 94. 6 dec  
 Fasten off and close up the opening.



## Tail

Go back to the tail opening. Join beige color yarn at any st of the opening and work 12 sc around the opening to form a circle. It is a starting round. Do not count it as Rnd 1. Work around the wire stuffing as you go.

Rnds 1-11. 12 sc  
 Rnd 12. 1 sc, 1 dec, 4 sc, 1 dec, 3 sc (10)  
 Rnds 13-16. 10 sc  
 Rnd 17. 1 sc, 1 dec, 3 sc, 1 dec, 2 sc (8)  
 Rnd 18. 8 sc

Cut extra wire for the tail if needed and wrap the end with fabric tape.

Rnd 19. 1 sc, 1 dec, 2 sc, 1 dec, 1 sc (6)  
 Fasten off and close up the opening. Weave I loose ends.



## Ear (make 2)

with grey or black color yarn

Rnd 1. 6 sc in magic ring  
 Rnd 2. 6 inc (12)  
 Rnd 3. (3 sc, 1 inc) x 3 (15)  
 Rnds 4-5. 15 sc  
 Rnd 6. (4 sc, 1 inc) x 3 (18)  
 Rnds 7-9. 18 sc  
 Rnd 10. (2 sc, 1 inc) x 6 (24)  
 Rnd 11. 12 sl st, 12 hdc (24)  
 Rnd 12. 12 sc, 12 hdc (24), 1 sl st  
 Fasten off, leaving a tail for sewing.



## *Eyebrow ridge (make 2)*



**with main color yarn**

### *Right ridge*

Ch 16 and work in rows starting from 2<sup>nd</sup> st from the hook:

Row 1. 4 sc, 5 hdc, 4 hdc inc, 2 hdc (19), ch 1, turn

Row 2. (skip 1, 2 hdc) x 4, 6 sc, 1 sl st

Fasten off, leaving a tail for sewing.

### *Left ridge*

Ch 16 and work in rows starting from 2<sup>nd</sup> st from the hook:

Row 1. 2 hdc, 4 hdc inc, 5 hdc, 4 sc (19), ch 1, turn

Row 2. skip 1. 6 sc, (2 hdc, skip 1) x 3, 2 hdc, 1 sl st

Fasten off, leaving a tail for sewing.



## *Upper eyelids (make 2)*

**with grey or black color yarn**

Rnd 1. 6 sc in magic ring

Rnd 2. 6 inc (12)

Rnd 3. 12 sc

Rnd 4. 6 sc, 1 sl st

Leave the remaining sts unworked. Fasten off, leaving a tail for sewing. You can sew the eyelid with the short rnd upwards or downwards. It is up to you.



## *Lower eyelids (make 2) - optional*

Work with grey or black color yarn.

Ch 8 and fasten off, leaving a tail for sewing.


You will sew or glue these eyelids under the eyes later.



## Front legs



- Rnd 1. 6 sc in magic ring  
Rnd 2. 6 inc (12)  
Rnd 3. (1 sc, 1 inc) x 6 (18)  
Rnd 4. 1 sl st, (3-dc cluster in one st, 1 sl st) x 4, 9 sc (18)  
Rnd 5. 1 sc, 4 dec, 9 sc (14)  
Rnd 6. 1 sc, 2 dec, 9 sc (12)  
Rnds 7-8. 12 sc  
Rnd 9. 2 sc, 1 dec, 4 sc, (3 sc in one st) x 2, 2 sc (15)  
Rnd 10. 15 sc  
Rnd 11. 7 sc, (sc3tog) x 2, 2 sc (11)  
Rnd 12. 8 sc, 1 inc, 2 sc (12)  
Rnds 13-14. 12 sc  
Rnd 15. (3 sc, 1 inc) x 3 (15)  
Rnds 16-18. 15 sc  
Rnd 19. (4 sc, 1 inc) x 3 (18)  
Rnd 20. (5 sc, 1 inc) x 3 (21)  
Rnd 21. 21 sc  
Rnd 22. (6 sc, 1 inc) x 3 (24)  
Rnd 23. 18 sc, (3 sc in one st) x 2, 4 sc (28)  
Rnd 24. 28 sc  
Rnd 25. 18 sc, (sc3tog) x 2, 4 sc (24)  
Rnd 26. (7 sc, 1 inc) x 3 (27)



### *for the left front leg*

Now work in rows, not in rounds

- Row 27. 12 sc, ch 1, turn  
Row 28. skip 1, 18 sc, ch 1, turn  
Row 29. skip 1, (4 sc, 1 dec) x 2, 3 sc, 1 dec (14), ch 1, turn  
Row 30. skip 1, 2 sc, 1 dec, 3 sc, 1 dec, 2 sc, 1 dec (10), ch 1, turn  
Row 31. skip 1, 7 sc, 1 dec, (8), ch 1, turn  
Row 32. skip 1, 5 sc, 1 dec (6), ch 1, turn  
Row 33. skip 1, 3 sc, 1 dec

Fasten off, leaving a tail for sewing.

Cut a piece of wire for the wire frame = the length of the leg + 1.5 cm for the loop + 3 cm. Make a loop at one end. Insert the wire into the leg with the loop going first. Stuff the leg firmly. The wire should stick out of the leg by 1.5-2 cm (for the toy of the size 17.5x14.5 cm). You will insert it into the body later.

### *for the right front leg*

Rnds 1-26. Work the same way as you did for the left front leg

Now work in rows, not in rounds

- Row 27. 1 sc, ch 1, turn  
Row 28. skip 1, 20 sc, ch 1, turn



## Front legs



Row 29. skip 1, 18 sc, ch 1, turn

Row 30. skip 1, (4 sc, 1 dec) x 2, 3 sc, 1 dec (14), ch 1, turn

Row 31. skip 1, 2 sc, 1 dec, 3 sc, 1 dec, 2 sc, 1 dec (10), ch 1, turn


Row 32. skip 1, 7 sc, 1 dec (8), ch 1, turn

Row 33. skip 1, 5 sc, 1 dec (6), ch 1, turn

Row 34. skip 1, 3 sc, 1 dec (4)

Fasten off, leaving a tail for sewing.

Cut a piece of wire for the wire frame = the length of the leg + 1.5 cm for the loop + 3 cm. Make a loop at one end. Insert the wire into the leg with the loop going first. Stuff the leg firmly. The wire should stick out of the leg by 1.5-2 cm (for the toy of the size 17.5x14.5 cm). You will insert it into the body later. Remember to highlight the joints while stuffing.





**Make sure the top part of each leg looks symmetrical.**

## Back legs



### Left back leg

- Rnd 1. 6 sc in magic ring  
Rnd 2. 6 inc (12)  
Rnd 3. (1 sc, 1 inc) x 6 (18)  
Rnd 4. 1 sl st, (3-dc cluster in one st, 1 sl st) x 4, 9 sc (18)  
Rnd 5. 1 sc, 4 dec, 9 sc (14)  
Rnd 6. 1 sc, 2 dec, 9 sc (12)  
Rnd 7. 12 sc  
Rnd 8. 2 sc, 1 dec, 4 sc, 1 inc, 3 sc (12)  
Rnd 9. 12 sc  
Rnd 10. (5 sc, 1 inc) x 2 (14)  
Rnds 11-12. 14 sc  
Rnd 13. 9 sc, (3 sc in one st) x 2, 3 sc (18)  
Rnd 14. 18 sc  
Rnd 15. 9 sc, (sc3tog) x 2, 3 sc (14)  
Rnd 16. 3 sc, 1 inc, 4 sc, 1 sc into the next st together with the back loop of the 4<sup>th</sup> st to the left of the hook, 3 sc along the skipped sts, 1 sc into the unworked front loop, 1 sc (15)  
Rnd 17. 3 sc, 1 inc, 2 sc, 1 inc, 8 sc (17)  
Rnd 18. 11 sc, 1 sc into the next st together with the back loop of the 5<sup>th</sup> st to the left of the hook, 4 sc along the skipped sts, 1 sc into the unworked front loop (17)  
Rnd 19. 4 sc, 1 inc, 3 sc, 1 inc, 5 sc, 1 inc, 2 sc (20)  
Rnds 20-21. 20 sc  
Rnd 22. (4 sc, 1 inc) x 4 (24)  
Rnd 23. (7 sc, 1 inc) x 3 (27)  
Rnd 24. (8 sc, 1 inc) x 3 (30)  
Now work in rows, not in rounds  
Row 25. 13 sc, ch 1, turn  
Row 26. skip 1, 19 sc, ch 1, turn  
Row 27. skip 1, (4 sc, 1 dec) x 3 (15), ch 1, turn  
Row 28. skip 1, 2 sc, 1 dec, (3 sc, 1 dec) x 2 (11), ch 1, turn  
Row 29. skip 1, 2 sc, 1 dec, 4 sc, 1 dec (8), ch 1, turn  
Row 30. skip 1, 5 sc, 1 dec (6), ch 1, turn  
Row 31. skip 1, 3 sc, 1 dec (4)  
Fasten off, leaving a tail for sewing.



Fasten off, leaving a tail for sewing.

Cut a piece of wire for the wire frame = the length of the leg + 1.5 cm for the loop + 3 cm. Make a loop at one end. Insert the wire into the leg with the loop going first. Stuff the leg firmly. The wire should stick out of the leg by 1.5-2 cm (for the toy of the size 17.5x14.5 cm). You will insert it into the body later. Remember to highlight the joints while stuffing.



## Right back leg

Rnds 1-24. Work the same way as you did for the left back leg.

Row 25. ch 1, turn

Row 26. skip 1, 21 sc, ch 1, turn

Row 27. skip 1, 18 sc, 1 dec (19), ch 1, turn

Row 28. skip 1, (4 sc, 1 dec) x 3 (15), ch 1, turn


Row 29. skip 1, 2 sc, 1 dec, (3 sc, 1 dec) x 2 (11), ch 1, turn

Row 30. skip 1, 2 sc, 1 dec, 4 sc, 1 dec (8), ch 1, turn

Row 31. skip 1, 5 sc, 1 dec (6), ch 1, turn

Row 32. skip 1, 3 sc, 1 dec (4)

Fasten off, leaving a tail for sewing.



**Make sure the top part of each leg looks symmetrical.**





**Needle sculpt the face: Thread your needle with strong thread and insert in point 1, exit at point 2, insert in point 3, exit at point 4. Pull up the thread shaping the eye sockets. Make sure the thread end doesn't hide into the piece. Needle sculpt the area under the eyebrows using the same thread. Insert at point 5, exit at point 6, insert at point 7, exit at point 8, pull up the thread. Insert at point 9, exit at point 10, pull up the thread. Insert at point 11, exit at point 12, pull up the thread. Insert at point 13, exit at point 14, pull up the thread. Insert at point 15, exit at point 16, pull up the thread. Tie the thread ends in a knot and weave in loose ends.**



Sew the eyebrow ridge under the eyebrow repeating its shape and using the sts of the starting row only. Sew the dark eyelid inside and glue the eye. You can sew or glue the lower eyelid under the eye if you like. You decide how your dog will look like.

Glue the nose.

Find the right position for the ears at an angle and sew them onto the head.



There are approximately 8 sts between the ears. The bottom of the ear reaches the fold.



**Tip:** Sew the pieces counter clockwise to make the seam less visible.



You can make a standing or sitting dog. It depends on how you sew the legs. Sew the front legs 3-4 sts away from the fold. The center of the leg aligns with the fold. Sew the back legs at an angle. There are 5-6 sts between the leg and the center back of the body. There are 18 rounds between the legs. There are 12-13 sts between the back leg and the center of the back. You can sew the legs the way you like. Pin the legs first. Run all wire ends sticking out of the legs into the body. If you are pleased with the result, sew the legs onto the body.







**Tip:** I recommend that you crochet a swatch first to try tinting. When you are satisfied with the result, tint the toy.



You can make any pose you like for your dog. Tint the snout, area around the eyes, the tips of the ears, area between the eyebrows with dark color if you like. I used oil pastels and stiff art brush. First apply some tinting material, then add it gradually making it darker where needed.

*Your dog is ready!*





**Pug Dog by Tatyana Vysota**