

Quilt designed by Heidi Pridemore for Blank Quilting Finished Size is 50" x 50"







Quilt designed by Heidi Pridemore for Blank Quilting

#### Fabric Requirements:

Fabric A: 1 yd 6580 Black	Fabric J: 1/2 yd 6383 Royal
Fabric B: 1/4 yd 6580 White	Fabric K: Fat 1/8 5786 Lime
Fabric C: 3/4 yd 6581 Black	Fabric L: Fat 1/16 5786 Orange
Fabric D: 1/3 yd 6581 White	Fabric M: 3/4 yd 6383 Turquoise
Fabric E: 1/4 yd 6582 Black	Fabric N: Fat 1/16 3955 White
Fabric F: 1/2 yd 6582 White	Fabric O: Fat 1/16 3955 Jet Black
Fabric G: Fat 1/8 6570 Yellow	Backing: 3-1/2 yds 6580 White
Fabric H: 1/3 yd 5786 Yellow	Fusible Applique: 2-1/2 yds
Fabric I: 1/3 yd 6383 Pink	

#### **Cutting Instructions:**

- Fabric A: Cut two 5-1/2" x 40-1/2" strips.Cut three 5-1/2" x 42" strips. Piece the strips together to make two 5-1/2" x 50-1/2" strips.
- Fabric B: Cut one 6-1/2" x 42" strip. Sub-cut into four 6-1/2" squares.
- **Fabric C:** Cut one 8-1/2" x 42" strip. Sub-cut into four 8-1/2" squares. Cut five 2-1/2" x 42" strips for the binding.
- Fabric D: Cut two 3-1/2" x 42" strips. Sub-cut into sixteen 3-1/2" squares.
- Fabric E: Cut one 6-1/2" x 42" strip. Sub-cut into five 6-1/2" squares.
- **Fabric F:** Cut two 3-1/2" x 38-1/2" strips. Cut two 3-1/2" x 32-1/2" strips.
- Fabric G: See instructions to cut four owl bellies.
- **Fabric H:** Cut two 3-1/2" x 42" strips. Sub-cut into twenty 3-1/2" squares. See instructions to cut owl eyes and talons.
- Fabric I: Cut two 3-1/2" x 42" strips. Sub-cut into sixteen 3-1/2" squares.
- Fabric J: Cut one 12-1/2" x 42" strip. Sub-cut into eight 2-1/2" x 12-1/2" strips and eight 2-1/2" x 8-1/2" strips.
- Fabric K: See instructions to cut owl wings.
- Fabric L: See instructions to cut owl beaks.
- **Fabric M:** Cut eight 1-1/2" x 42" strips. Sub-cut the strips into two 1-1/2" x 40-1/2" strips, two 1-1/2" x 38-1/2" strips, two 1-1/2" x 32-1/2" strips and two 1-1/2" x 30-1/2" strips. See instructions to cut owl bodies.
- Fabric N: See instructions to cut owl eyes.
- Fabric O: See instructions to cut owl eyes.
- Backing: Cut two 58" x 42" strips. Piece the strips together and trim to make one 58" x 58" backing piece.

## Please read all the instructions before starting. Press towards the dark fabrics. Use a 1/4" seam allowance.

## Owl Block Assembly:

- 1. Following the manufacturer's instructions to trace the listed number of each template onto the paper side of the fusible web. Roughly cut out each template about 1/8" outside the drawn lines.
- 2. Press each template onto the wrong side of the fabrics as listed on the templates. Cut out each template on the drawn lines.
- 3. Refer to the quilt photo to arrange and press the owl pieces onto the four 8-1/2" Fabric C squares to make four owl blocks.
- 4. Finish the raw edges of each shape with a decorative stitch such as a buttonhole or satin stitch.
- 5. Sew one 2-1/2" x 8-1/2" Fabric J strip to each side of one owl block. Sew one 2-1/2" x 12-1/2" Fabric J strip to the top and bottom of the owl block (Fig. 1).
- 6. Place one 3-1/2" Fabric D square on the top left corner of one owl block, right sides together (Fig. 2). Sew across the diagonal of the smaller square from the upper right corner to the lower left corner (Fig. 2). Flip open the triangle formed and press (Fig. 3). Trim away the excess fabric from behind the triangle 1/4" away from the sewn seam.
- Follow Figure 4 for the seam direction to add a 3-1/2" Fabric D square to each of the remaining corners of the owl block to make one 12-1/2" owl block (Fig. 4).
- 8. Repeat Steps 6-7 to make four owl blocks total.



# Diamond Block Assembly:

- 9. Place one 3-1/2" Fabric H square on the top left corner of one 6-1/2" Fabric E square, right sides together (Fig. 5). Sew across the diagonal of the smaller square from the upper right corner to the lower left corner (Fig. 5). Flip open the triangle formed and press (Fig. 6). Trim away the excess fabric from behind the triangle 1/4" away from the sewn seam.
- 10. Follow Figure 7 for the seam direction to add a 3-1/2" Fabric H square to each of the remaining corners of the 6-1/2" Fabric E square to make one H/E Diamond block (Fig. 8).
- 11. Repeat Steps 9-10 to make five H/E Diamond blocks total.
- Repeat Steps 9-10 with four 6-1/2" Fabric B squares and sixteen 3-1/2" Fabric I squares to make four B/I Diamond blocks (Fig. 9).
- 13. Sew one H/E Diamond block to one B/I Diamond block to make one one Diamond unit (Fig. 10). Repeat to make another Diamond unit.
  make 5 make 4











Fig. 9

Fig. 5

Fig. 6

### Diamond Block Assembly: (continued)

- 14. Refer to the Figure 11 to sew one owl block to each side of one diamond unit to make the top owl row. Refer to the Figure 12 to sew one owl block to each side of one diamond unit to make the bottom owl row.
- **15.** Sew together three H/E Diamond blocks and two B/I Diamond blocks, alternating them to make one 6-1/2" x 30-1/2" diamond row (Fig. 13).



- 16. Sew together the top owl row, diamond row and bottom owl row to make the 30-1/2" square quilt top.
- **17.** Sew one 1-1/2" x 30-1/2" Fabric M strip to each side of the quilt top. Sew one 1-1/2" x 32-1/2" Fabric M strip to the top and bottom of the quilt top.
- 18. Sew one 3-1/2" x 32-1/2" Fabric F strip to each side of the quilt top. Sew one 3-1/2" x 38-1/2" Fabric F strip to the top and bottom of the quilt top.
- **19.** Sew one 1-1/2" x 38-1/2" Fabric M strip to each side of the quilt top. Sew one 1-1/2" x 40-1/2" Fabric M strip to the top and bottom of the quilt top.
- 20. Sew one 5-1/2" x 40-1/2" Fabric A strip to each side of the quilt top. Sew one 5-1/2" x 50-1/2" Fabric A strip to the top and bottom of the quilt top.
- 21. Layer and quilt as desired.
- 22. Sew the five 2 1/2" x 42" Fabric C strips together end-to-end with 45° seams to make the binding. Fold this long strip in half lengthwise with wrong sides together and press.
- 23. Bind as desired.







	1	2	3	
I	-			

Downloads from the internet are not always consistent. Please compare this ruler with an actual ruler to verify size accuracy of templates before cutting. In addition, check your printer dialog box and turn off page scaling for accurate printouts.

While all possible care has been taken to ensure the accuracy of this pattern, we are not responsible for printing errors or the way in which individual work varies.



© 2012 Blank Quilting • All rights reserved 2 Bridge Street, Suite 220, Irvington, NY 10533 • Toll Free: 888-442-5265 • Fax 914-478-4278 • www.BlankQuilting.com